

Military Supplies Police Gears Special Vehicles



CHINA XINXING IMPORT AND EXPORT CO.,
LTD.

Since 1984

Contact WhatsApp: +8618657979930



About us





About us





QUALITY CONTROL

07-12

AIR FITTING

流量监测
FUTURE OUTLOOK

PEACEKEEPING

FIRE PROTECTION

多场景综合解决方案
MULT-SCENARIO INTEGRATED SOLUTION



About us





About us

History

Established in **1984**,
it was affiliated to General
Logistic Department of PLA.

Mission

With goal to offer
customized integrated
solutions suitable for **all**
forces and **all**
weather conditions.

Business

For nearly **40** years,
China Xinxing has
established business
cooperation with over **100**
countries all over the world.



About us

1. UNIFORM & BOOTS

2. OUTDOOR EQUIPMENT

3. BULLETPROOF PRODUCTS

4. POLICE GEARS

5. ELECTRONIC PRODUCTS

6. SPECIAL VEHICLES

7. MEDICAL EMERGENCY

8. COMPLETED SOLUTIONS



Uniforms



COMBAT UNIFORMS



+

**DESCRIPTION**

NAME	G3 Special Battle Frog suit
MODEL NUMBER	UF-3001
MATERIAL	Cotton/Polyester
COLORS	Black,Black CP, Army Green, CP
SLEEVE	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Airsoft,tactical,training, Hunting,shooting

**DESCRIPTION**

NAME	G2 Special Battle Frog suit
MODEL NUMBER	UF-2001
MATERIAL	Cotton/Polyester
COLORS	Black,Black CP, Army Green, CP
SLEEVE	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Airsoft,tactical,training, Hunting,shooting



+

**DESCRIPTION**

NAME	A combat uniform
MODEL NUMBER	UF-3003
MATERIAL	Cotton/Polyester
COLORS	Black,Black CP, Army Green, CP
SLEEVE	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Airsoft,tactical,training, Hunting,shooting

**DESCRIPTION**

NAME	A combat uniform
MODEL NUMBER	UF-3004
MATERIAL	Cotton/Polyester
COLORS	Black,Black CP, Army Green, CP
SLEEVE	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Airsoft,tactical,training, Hunting,shooting





Uniforms



COMBAT SHIRT

- * Velcro on the pocket for badges on the sleeve pocket
- * Chest splice design
- * Cuff Velcro design
- * Feature:cozy,waterproof,dry quickly,breathe



COMBAT SHIRT

- * The waist of pant is designed for more protecting
- * The knee part has a hole for knee padding to keep safety
- * Twelve pockets are convenient for outdoor and battle field





Uniforms



CXBD-02



CXBD-03



CXBD-04



Uniforms



CXBD-05



CXBD-06



CXBD-07



Uniforms



CXBD-08



CXBD-09



CXBD-10



Uniforms



CXBD-11



CXBD-12



CXBD-13



Uniforms






Uniforms





Uniforms





Uniforms



UF-5001
Cotton/Polyester
S, M, L, XL, XXL



UF-5002
Cotton/Polyester
S, M, L, XL, XXL



UF-5003
Cotton/Polyester
S, M, L, XL, XXL



MF-5001
Cotton/Polyester
S, M, L, XL, XXL



MF-5002
Cotton/Polyester
S, M, L, XL, XXL



MF-5003
Cotton/Polyester
S, M, L, XL, XXL



UF-5004
Cotton/Polyester
S, M, L, XL, XXL



UF-5005
Cotton/Polyester
S, M, L, XL, XXL



UF-5006
Cotton/Polyester
S, M, L, XL, XXL



MF-5004
Cotton/Polyester
S, M, L, XL, XXL



MF-5005
Cotton/Polyester
S, M, L, XL, XXL



MF-5006
Cotton/Polyester
S, M, L, XL, XXL



UM-0001
Cotton/Polyester
S, M, L, XL, XXL



UM-0002
Cotton/Polyester
S, M, L, XL, XXL



UM-0003
Cotton/Polyester
S, M, L, XL, XXL



MM-0001
Cotton/Polyester
S, M, L, XL, XXL



MM-0002
Cotton/Polyester
S, M, L, XL, XXL



MM-0003
Cotton/Polyester
S, M, L, XL, XXL



UM-0004
Cotton/Polyester
S, M, L, XL, XXL



UM-0005
Cotton/Polyester
S, M, L, XL, XXL



UM-0006
Cotton/Polyester
S, M, L, XL, XXL



MM-0004
Cotton/Polyester
S, M, L, XL, XXL



UM-0005
Cotton/Polyester
S, M, L, XL, XXL



UM-0006
Cotton/Polyester
S, M, L, XL, XXL





Uniforms





Uniforms





Boots



TACTICAL BOOTS



Boots

DESCRIPTION

NAME	TACTICAL BOOT MUST BE RELIABLE
MODEL NUMBER	BT-3008
SHAPE	High shoes Low shoes
MATERIAL	CORDURA + EVA+TPU
COLORS	Black, Tan
WEIGHT	High shoes-1.2kg; Low shoes-0.7kg
SIZE	CN 36-45 US 3-9.5
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



LARGE CAPACITY

NON-SLIP

WATERPROOF

NON-DEFORMATION



SHAPE



High shoes



Low shoes



Resistant to compression



Boots





Shoes





Boots

 BT-3009 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-3010 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-3011 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5007 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5008 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5009 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 
 BT-3012 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-3013 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-3014 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5010 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5011 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5012 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 
 BT-3015 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5001 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5002 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5013 CORDURA + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5014 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5015 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 
 BT-5003 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5004 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5005 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5016 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5017 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 	 BT-5018 Nylon + EVA + TPU High shoes / Low shoes CN 36-45 / US 3-8.5 



Tactical Gears





Tactical Gears



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-8116
MATERIAL	600D Nylon
COLORS	Black, Grey, Tan, Army green,
WEIGHT	1.8kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-8193
MATERIAL	1000D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp, Acu, A-tacs Ig
WEIGHT	1.8kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-6031
MATERIAL	600D Polyester
COLORS	Black, Tan, CP, Black cp,
WEIGHT	2kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-8490
MATERIAL	500D Nylon
COLORS	Black
WEIGHT	1.96kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting





Tactical Gears



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-6026-3
MATERIAL	1000D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp, Acu, A-tacs fg
WEIGHT	1.8kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



+



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-1063
MATERIAL	600D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp, Acu, A-tacs fg, Flecktarnmuster, Italy Camo
WEIGHT	1.3kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-6031
MATERIAL	600D Polyester
COLORS	Black, Tan, CP, Black cp,
WEIGHT	2kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-1065
MATERIAL	600D Polyester
COLORS	Black, Fluorescent yellow
WEIGHT	1.3kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting





Tactical Gears



VT-1055

600D Polyester
75-125cm / 29.5-49 inch



VT-1011

600D Polyester
75-125cm / 29.5-49 inch



VT-8025

600D Polyester
75-125cm / 29.5-49 inch



VT-1090

600D Polyester
75-125cm / 29.5-49 inch



VT-8204

600D Polyester
75-125cm / 29.5-49 inch



VT-6027

600D Polyester
75-125cm / 29.5-49 inch



VT-0001

600D Polyester
75-125cm / 29.5-49 inch



VT-8302

600D Polyester
75-125cm / 29.5-49 inch



VT-300

600D Polyester
75-125cm / 29.5-49 inch



VT-8426

600D Polyester
75-125cm / 29.5-49 inch



VT-8280

600D Polyester
75-125cm / 29.5-49 inch



VT-8254

600D Polyester
75-125cm / 29.5-49 inch



VT-001

600D Polyester
75-125cm / 29.5-49 inch



VT-003

600D Polyester
75-125cm / 29.5-49 inch



A88032

600D Polyester
75-125cm / 29.5-49 inch



VT-8196

600D Polyester
75-125cm / 29.5-49 inch



VT-8191

600D Polyester
75-125cm / 29.5-49 inch



VT-1104

600D Polyester
75-125cm / 29.5-49 inch



VT-0E006

600D Polyester
75-125cm / 29.5-49 inch



KS-005

600D Polyester
75-125cm / 29.5-49 inch



VT-1051

600D Polyester
75-125cm / 29.5-49 inch



VT-8212

600D Polyester
75-125cm / 29.5-49 inch



VT-8213

600D Polyester
75-125cm / 29.5-49 inch



CLK-1-A

600D Polyester
75-125cm / 29.5-49 inch





Tactical Gears

VT-8281



600D Polyester
75-125cm /28.5-49 inch



VT-8272



600D Polyester
75-125cm /28.5-49 inch



VT-0E007



600D Polyester
75-125cm /28.5-49 inch



VT-1071



600D Polyester
75-125cm /28.5-49 inch



BK-0E004



600D Polyester
75-125cm /28.5-49 inch



VT-0E004



600D Polyester
75-125cm /28.5-49 inch



VT-8002



600D Polyester
75-125cm /28.5-49 inch



VT-8211



600D Polyester
75-125cm /28.5-49 inch



VT-0E003



600D Polyester
75-125cm /28.5-49 inch



BL-8105



600D Polyester
75-125cm /28.5-49 inch



VT-8105-B



600D Polyester
75-125cm /28.5-49 inch



BL-8107




600D Polyester
75-125cm /28.5-49 inch





Tactical Gears



+



DESCRIPTION	
NAME	Tactical soft rifle case
MODEL NUMBER	GT-0111-36
MATERIAL	1000D Polyester
COLORS	Black, Tan, Black cp
WEIGHT	36"-2, 8kg
SIZE	36" (90"30"18cm)
APPLICATION	Assault, Range, Airsoft, Tactical, Training, Hunting, Shooting








+



DESCRIPTION	
NAME	Tactical soft rifle case
MODEL NUMBER	GT-1058
MATERIAL	1000D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp
WEIGHT	36"-2, 5kg; 42"-2, 8kg
SIZE	36" (90"30"18cm), 42" (107"30"18cm)
APPLICATION	Assault, Range, Airsoft, Tactical, Training, Hunting, Shooting








+



DESCRIPTION	
NAME	Tactical soft rifle case
MODEL NUMBER	GT-890-36
MATERIAL	600D Polyester
COLORS	Black
WEIGHT	36"-2, 8kg
SIZE	36" (90"30"18cm)
APPLICATION	Assault, Range, Airsoft, Tactical, Training, Hunting, Shooting








+



DESCRIPTION	
NAME	Tactical soft rifle case
MODEL NUMBER	GT-100
MATERIAL	600D Polyester
COLORS	Black
WEIGHT	36"-2, 8kg
SIZE	36" (90"30"18cm)
APPLICATION	Assault, Range, Airsoft, Tactical, Training, Hunting, Shooting








+



DESCRIPTION	
NAME	Tactical soft rifle case
MODEL NUMBER	GT-8084-1
MATERIAL	1000D Polyester
COLORS	Black, Tan, Black cp
WEIGHT	28"-2, 8kg
SIZE	28" (71.5"30"23cm)
APPLICATION	Assault, Range, Airsoft, Tactical, Training, Hunting, Shooting








+



DESCRIPTION	
NAME	Tactical soft rifle case
MODEL NUMBER	TL-104
MATERIAL	600D Polyester
COLORS	Black, Tan, Army green
WEIGHT	36"-2, 3kg
SIZE	36" (93"35"15m)
APPLICATION	Assault, Range, Airsoft, Tactical, Training, Hunting, Shooting











Tactical Gears



KF-105

600D Polyester
30" x 12" x 6"



B-103

600D Polyester
30" x 12" x 6"



GB-90508

600D Polyester
30" x 12" x 6"



GN-9011

600D Polyester
30" x 12" x 6"



BG-001

600D Polyester
30" x 12" x 6"



GN-9009

600D Polyester
30" x 12" x 6"



GN-9020

600D Polyester
30" x 12" x 6"



GN-90

600D Polyester
30" x 12" x 6"



604005

600D Polyester
30" x 12" x 6"



TL-704

600D Polyester
30" x 12" x 6"



KF-105

600D Polyester
30" x 12" x 6"



GN-9031

600D Polyester
30" x 12" x 6"



TL-7058

600D Polyester
30" x 12" x 6"



688003

600D Polyester
30" x 12" x 6"





Backpacks





Tactical Gears



DESCRIPTION

NAME	ASSAULT BACKPACK
MODEL NUMBER	KF-056
MATERIAL	1000D Polyester
COLORS	Multicam
WEIGHT	2.5kg
SIZE	56*30*23 cm 22*12*9 in
VOLUME	50L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



■ DISPLAY OF OPERATION



■ COMBINATION PARTS



shooting rifle rest >>> ammunition and weapons pocket >>> backpack >>> sniper+shooting mats+backpack

■ DETAILS





Tactical Gears

+



DESCRIPTION

NAME	ASSAULT BACKPACK
MODEL NUMBER	KF-133
MATERIAL	1000D Polyester
COLORS	Tan
WEIGHT	2.5kg
SIZE	31"25.4"56 cm 12"10"22 in
VOLUME	45L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DISPLAY OF OPERATION



HCOMBINATION PARTS



DETAILS





Tactical Gears

+



DESCRIPTION

NAME	Multifunctional Tacticalpadded Belt
MODEL NUMBER	L1810-1
MATERIAL	1000D Nylon
COLORS	Black, Tan , CP, Black CP, A-TACS FG Desert camo, Woodland Camo
WEIGHT	1.2kg
SIZE	75-125 cm 29.5-49 in
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



+



DESCRIPTION

NAME	Cobra Quick Release Tactical Belt
MODEL NUMBER	BL-2231
MATERIAL	Nylon & Metal Buckle
COLORS	Black, Tan , Black+Tan, Tan+Black
WEIGHT	0.4g
SIZE	89-109 cm 35-49 in
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Multifunctional Tacticalpadded Belt
MODEL NUMBER	YD-2012
MATERIAL	1000D Nylon
COLORS	Black, Grey, Tan , Army green, CP, Black CP
WEIGHT	0.8kg
SIZE	75-114 cm 29.5-44.8 in
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	Cobra Quick Release Tactical Belt
MODEL NUMBER	BL-2233
MATERIAL	Nylon & Metal Buckle
COLORS	Black, Tan ,CP,
WEIGHT	0.33kg
SIZE	125CM Total length; SCM Buckle Wide
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting





Tactical Gears

+



DESCRIPTION

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KF-046
MATERIAL	1000D Polyester
COLORS	Black,Tan,Multicam
WEIGHT	2.5kg
SIZE	55*25*15 cm 23*12.6*9.7 in
VOLUME	55L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KF-007
MATERIAL	1000D Polyester
COLORS	Black,Tan,Multicam,Korean digital
WEIGHT	2.5kg
SIZE	55*25*15 cm 23*12.6*9.7 in
VOLUME	55L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	BK-2227
MATERIAL	1000D Polyester
COLORS	Army Green
WEIGHT	2.5kg
SIZE	58*32*22 cm 23*12.6*8.7 in
VOLUME	42L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KF-001
MATERIAL	1000D Polyester
COLORS	Tan
WEIGHT	2.5kg
SIZE	52*48*32cm 20.5*18.9*12.6 in
VOLUME	60L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	ASSAULT BACKPACK
MODEL NUMBER	KF-046
MATERIAL	1000D Polyester
COLORS	Mmulticam
WEIGHT	2.5kg
SIZE	70*35*26cm 27.6*13.8*9.8in
VOLUME	65L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	ASSAULT BACKPACK
MODEL NUMBER	KF-007
MATERIAL	1000D Polyester
COLORS	Black
WEIGHT	2.5kg
SIZE	75*35*20cm 29.5*13.8*7.9 in
VOLUME	55L
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting





Tactical Gears



DESCRIPTION

NAME	AALICE PACK OLIVE DRAB
MODEL NUMBER	L-001
MATERIAL	600D Polyester
COLORS	Army Green
WEIGHT	3.3kg
SIZE	H57*137*W25.4cm H22.5*L14.5*W10in
VOLUME	52L
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	AALICE PACK OLIVE DRAB
MODEL NUMBER	BK-001
MATERIAL	900D Polyester
COLORS	Army Green
WEIGHT	3.2kg
SIZE	H60*L40*W24cm H23.6*L15.7*W9.5in
VOLUME	70L
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	AALICE PACK OLIVE DRAB
MODEL NUMBER	L-1001
MATERIAL	900D Polyester
COLORS	Army Green
WEIGHT	3.3kg
SIZE	H45*W35*26cm H18.1*L13.8*W9.8in
VOLUME	42L
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



DESCRIPTION

NAME	AALICE PACK OLIVE DRAB
MODEL NUMBER	KF-001
MATERIAL	900D Polyester
COLORS	Black
WEIGHT	3.2kg
SIZE	H60*L40*W24cm H23.6*L15.7*W9.5in
VOLUME	70L
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting





Tactical Gears



KF-121

1XL
1000D Polyester
H23.5" L28.2" W18.5 cm
H13.2" L11.5" W7.3 in



KF-101

3XL
1000D Polyester
H48.3" L27.5" W11 cm
H19.1" L11" W4.3 in



KF-053B

3XL
1000D Polyester
H52" L44.5" W23 cm
H20.5" L17.5" W9.1 in



A88060

XL
600D Polyester
H26" L21" W11 cm
H10.2" L8.2" W4.3 in



A88060-1

XL
600D Polyester
H26" L21" W11 cm
H10.2" L8.2" W4.3 in



KF-088

1XL
1000D Polyester
H33" L23" W12.7 cm
H13" L9" W5 in



YKD-888

1XL
600D Polyester
H27" L13" W18 cm
H10.5" L5" W7.1 in



YKD-889

XL
600D Polyester
H23" L13" W18 cm
H9" L13.4" W9.9 in



YKD-003

2XL
1000D Polyester
H27" L13" W18 cm
H10.5" L11.8" W9.1 in



BK-2236

3XL
600D Polyester
H48" L27" W18 cm
H19.5" L10.6" W7.1 in



BK-2258A

4XL
1000D Polyester
H50" L28" W20 cm
H17.3" L11.5" W7.9 in



BK-004

3XL
600D Polyester
H45" L28" W18 cm
H17.3" L11" W7 in



KF-126

5XL
1000D Polyester
H50" L40" W23 cm
H19.7" L15.5" W9.1 in



KF-040

1XL
1000D Polyester
H18" L28" W18 cm
H7" L14.1" W9.9 in



KF-126-B

5XL
1000D Polyester
H50" L40" W23 cm
H19.7" L15.5" W9.1 in



BK-2266

4XL
1000D Polyester
H50" L30" W23 cm
H19.7" L11.8" W9.1 in



GB-0065

4XL
1000D Polyester
H50" L30" W23 cm
H19.7" L11.8" W9.1 in



BK-2269

4XL
1000D Polyester
H50" L30" W23 cm
H19.7" L11.8" W9.1 in



19221-3

2XL
600D Polyester
H43" L23" W23 cm
H16.9" L9" W9.1 in



BK-5042

3XL
600D Polyester
H50" L32" W23 cm
H19.7" L12.6" W9.1 in



BK-2282

3XL
600D Polyester
H44" L24" W23 cm
H17.3" L9.4" W9.1 in



KF-011

4XL
1000D Polyester
H50" L30" W23 cm
H19.7" L11.8" W9.1 in



KF-101

4XL
1000D Polyester
H49" L30" W23 cm
H17.7" L11.8" W9.1 in



BK-2357

5XL
1000D Polyester
H48" L40" W25 cm
H19.3" L15.7" W9.9 in





Tactical Gears



PH1070

Polyester+Nylon
M4 style 5.56mm mags



PH1071

Polyester+Nylon
M4 style 5.56mm mags



PH1073

Polyester+Nylon
M4 style 5.56mm mags



PH1075

Polyester+Nylon
M4 style 5.56mm mags



PH1063

Polyester+Nylon
M4 style 5.56mm mags



PH1067

Polyester+Nylon
M4 style 5.56mm mags



PH1068

Polyester+Nylon
M4 style 5.56mm mags



PH1069

Polyester+Nylon
M4 style 5.56mm mags



OT005

Polyester+Nylon
M4 style 5.56mm mags



PH1070

Polyester+Nylon
M4 style 5.56mm mags



KF-110

Polyester+Nylon
92.82g



KF-070

Polyester+Nylon
92.82g



HT-1006

Polyester+Nylon
92.82g



HT-1007

Polyester+Nylon
92.82g



TL-321

Polyester+Nylon
92.82g



HT-1001

Polyester+Nylon
92.82g



HT-1002

Polyester+Nylon
92.82g



HT-1003

Polyester+Nylon
92.82g



HT-9068

Polyester+Nylon
92.82g



HT-1004

Polyester+Nylon
92.82g





Tactical Gears

KJ-001 POM 25*55 mm	KJ-002 POM 25*55 mm	KJ-003 POM 28*55 mm	KJ-014 POM 52*28 mm	KJ-015 POM 26*17 mm	KJ-016 POM 23*25 mm
KJ-004 POM 26*65 mm	KJ-005 POM 25*65 mm	KJ-006 POM 50*68 mm	KJ-017 POM 35*37 mm	KJ-018 POM 47*25 mm	KJ-019 POM 25*55 mm
KJ-007 POM 38*75 mm	KJ-008 POM 56*80 mm	KJ-009 POM 50*80 mm	KJ-020 POM 25*28 mm	KJ-010 POM 113*15 mm	KJ-001 POM 25*45 mm
KJ-011 POM 25*23 mm	KJ-012 POM 28*25 mm	KJ-016 POM 23*25 mm	KJ-001 PP 16.3*23*8.5 cm	KJ-002 PP 21*3*11 cm	KJ-003 PP 33*5.5*22 cm
KJ-017 POM 37*35 mm	KJ-018 POM 47*25 mm	KJ-019 POM 60*38 mm	KP-001 TPU 8.5*15.5*8 cm	KP-002 TPU 8.5*17*7 cm	KP-003 TPU 60*2*7 cm



Police Gears







Police Gears





Police Gears





Police Gears



TACTICAL BELT




Police Gears




YD-2013

Nylon & Metal Buckle
Belt + 6 accessory packs




YD-2012-10

Nylon & Metal Buckle
Belt + 10 accessory packs



CM-2202

Nylon & Metal Buckle
Belt + 9 accessory packs





Police Gears





Police Gears



Fits for Glock 17, 19, 19X, 22, 31, 32 (Gen 1-5)





Police Gears



Fits for Glock 17, 19, 19X, 21, 22, 23, 26, 27, 31, 32, 33, 45 (Gen 1-5), S&W M&P Compact, S&W W&P 9mm, H&K USP, CZ P09/P07, Beretta APX, Walther P99, Springfield XD, Sig Sauer P320, etc.



Police Gears



Universal Mag. Pouch

Fits for 9mm, .40, or .45
caliber

Handgun magazine.

360° adjusting
Small and compact
Made of high-tech polymer



Police Gears



Magnetic gun holder: N52 reinforced magnet, strong holding strength (up to 50 pounds)



Ballistic Gears





Ballistic Gears





Ballistic Gears




TABLE 1 - TEST SUMMARY • NIJ STANDARD-0108.01

Armor Type (Protection Level)	Test Ammunition	Nominal Bullet Mass	Suggested Barrel Length	Required Bullet Velocity	Required Hits Per Arm or Specimen	Permitted Penetrations
I 	22 LRHV	2.6 g	15 to 16.5 cm	320 ± 12 m/s	5	0
	Lead 38 Special RN Lead	40 gr 10.2 g 158 gr	6 to 6.5 in 15 to 16.5 cm 6 to 6.5 in	1050 ± 40 ft/s 259 ± 15 m/s 850 ± 50 ft/s	5	0
II-A 	357 Magnum	10.2 g	10 to 12 cm	381 ± 15 m/s	5	0
	JSP 9 mm FMJ	158 gr 8.0 g 124 gr	4 to 4.75 in 10 to 12 cm 4 to 4.75 in	1250 ± 50 ft/s 332 ± 12 m/s 1090 ± 40 ft/s	5	0
II 	357 Magnum	10.2 g	15 to 16.5 cm	425 ± 15 m/s	5	0
	JSP 9 mm FMJ	158 gr 8.0 g 124 gr	6 to 6.5 in 10 to 12 cm 4 to 4.75 in	1395 ± 50 ft/s 358 ± 12 m/s 1175 ± 40 ft/s	5	0
III-A 	44 Magnum	15.55 g	14 to 16 cm	426 ± 15 m/s	5	0
	Lead SWC Gas Checked	240 gr	5.5 to 6.25 in	1400 ± 50 ft/s		
	9 mm FMJ	8.0 g 124 gr	24 to 26 cm 9.5 to 10.25 in	426 ± 15 m/s 1400 ± 50 ft/s	5	0
III 	7.62 mm 308 Winchester FMJ	9.7 g 150 gr	56 cm 22 in	838 ± 15 m/s 2750 ± 50 ft/s	5	0
IV 	30-06 AP	10.8 g 166 gr	56 cm 22 in	868 ± 15 m/s 2850 ± 50 ft/s	1	0

(AP) Armor Piercing, (FMJ) Full Metal Jacket, (JSP) Jacketed Soft Point, (LRHV) Long Rifle High Velocity, (RN) Round Nose, (SWC) Semi-Wadcutter



Ballistic Gears



中国认可
国际互认
检测
TESTING
CNAS L0269

Certificate of Test

Client: CHINA XINXING IMPORT AND EXPORT CO.,LTD.

Address: NO.17, XISANHUAN MIDDLE ROAD, HAIDIAN DISTRICT, BEIJING, CHINA

Sample Name: Bulletproof Vest

Physical and Chemical Inspection Center in Non-metals
Material of Ordnance Industries

Jan.13.2022

Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries Certificate of Test

Page 2 of 7

Cert. No: LF20220066



Laboratory Configuration	
Test Unit	Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries
Ambient Test Conditions	Temperature: 17°C; Relative Humidity: 42%
Setup	Weapons: Ballistic Barrel Bullets: .44 Magnum SJHP Electrical chronometer (No.:6015) Meter Rule (No.:LS02061) Vernier Caliper (No.:15120401) Electronic Balance (No.:F40604303) Protection Area Measurement System (No.: 9260069)
Test Range	5m
Sample Description	
Sample No.	XX0104-02#
Configuration	28 layers Kevlar+ PC+ foam.
Remarks	1.Client requirements: Every backface signature (BFS) depth of fair shots should be measured. 2.Protection Area of the sample is 0.5m ² .



Fig. 3 front panel (strike face)



Fig. 4 front panel (wear face)





Ballistic Gears





Ballistic Gears





Ballistic Gears





Ballistic Gears



Technical Specifications

Weight	<35KG
Composition	Helmets, masks, chest protector, back protector, shoulder protector, arm protector, leg protector
Helmet Protection Capability	V50: $\geq 725\text{m/s}$
Mask Protection Capability	V50: $\geq 745\text{m/s}$
Protection Capacity of the Thoracic Insertion Plate	V50: $\geq 1690\text{m/s}$
Ability to Protect the Bulletproof Layer	V50: $\geq 890\text{m/s}$
Special configuration	Exhaust air system and battery power system



Ballistic Gears





Electronics-Optics Gears-ENVM



Rapid Target
Acquisition



Multiple Fusion
Modes Switchable



12µm Thermal
Imaging



Low Power
Consumption



Extra Large Exit
Pupil Diameter (15mm)



CX-JF Enhanced Night Vision Monocular

CX-JF Enhanced night vision combines image intensification (I²) and thermal imaging technology in one device. The monocular system uses I² to provide clear target identification and IR (thermal imaging) to provide improved target detection. By combining the strengths of both technologies into one unit, soldiers are able to complete their missions more effectively.

Operating Distance



Identification
Recognition
Detection

200 m

400 m

1500m



Identification
Recognition
Detection

500 m

1000 m

3000 m

0 100m 200m 300m 400m 500m 600m 700m 800m 900m 1000m 3000m



Human Target
1.7m×0.5m



Vehicle Target
4.6m×2.3m

Infrared Mode



Electronics-Optics Gears-NVG



Compact size



CX-J31 Binocular Night Vision Goggle

CX-J31 Binocular night vision goggle adopts super second-generation low light tubes. With reliable and superior performance, compact size, and ultra-light weight, it provides high-definition images to effectively improve situation awareness and self-protection capabilities.


Operating Distance



Identification
Recognition



Identification
Recognition



Human target
1.7m×0.5m

Vehicle target
4.6m×2.3m



- **Compacter size, lighter weight**
- 10mm shorter than the competing products
- 70g lighter than the competing products



Electronics-Optics Gears-ENVG



Binocular Three-dimensional Vision



3rd Generation High-definition I² Night Vision



12μm Thermal Imaging



Rapid Target Acquisition



Combat Information Input (HUD)



Multiple Fusion Modes Switchable




Extra Large Exit Pupil Diameter (15mm)

CX-FB Enhanced Night Vision Binocular Goggle

CX-FB is equipped with a new generation of night vision fusion technology, by which the binocular three-dimensional imaging and thermal imaging technology make it possible for users to recognize targets and distinguish threats quickly.




Operating Distance





Electronics-Communications

China Xinxing communication segment can provide end-to-end tactical communication solutions cover HF, VHF, multi-band for military, armed police and public safety dept.





Electronics-Communications



Multiband carry-on radio



Multiband Vehicle-mounted radio

Frequency	NB: 30 – 511.975 MHz, WB: 225 – 511.975 MHz To Air: 108-173.975MHz, 225-399.975MHz Satellite: Tx: 1980-2010MHz, Rx: 2170-2200MHz
Bandwidth	NB: 25kHz、 75kHz, WB: 5MHz、 10MHz
Channels	100 channels
Output power	Carry-on: 1/5/10W Vehicle-mounted: 1/25/50W
Freq. stability	$\leq \pm 0.5\text{ppm}$
Data speed	$\leq 8\text{Mbps}$
Environment adaptability	MIL-STD-810G
Temperature	-40°C- +65°C



Electronics- Communications



Shoulder type



Ordinary type



Vehicle-mounted
radio

- Frequency band: 350MHz ~ 390MHz (shoulder type), 350MHz ~ 425MHz (ordinary type)
- Working temperature: -25°C ~ +65°C
- Electromagnetic compatibility: Meet the requirements of RE102, RS103, CS114 in GJB 151B-2013
- The product has the functions of positioning, rewinding, alarming, etc.
- Shoulder type ($2W \pm 0.5W$): 3km (urban area)/5km (line of sight)
- Ordinary type ($3.5W \pm 0.5W$): 5km (urban area)/8km (line of sight)
- Frequency band: 350MHz ~ 425MHz
- Transmitting power: 25W
- Receiving sensitivity: 0.224uV
- Direct connection distance: 8 kilometers (urban area) / 20 kilometers (sight distance)



Electronics- Communications

CNR: Combat Network Radio


- Frequency Ranges: 30~512 MHz/
108-174MHz/225-400MHz (AM)
- Voice and data communications between combat units
point-to-point
- Include: AM/FM/FHC/FCS working modes
- Hops: 1000hops/s
- Data transmission rate can reach 48kbps.





Electronics- Communications

Dual Channels Design





Electronics-Information



Reinforced PC



Reinforced Handheld



Reinforced Server



**Reinforced
Tablet**




Reinforced Computer



Reinforced Exchanger



Logistic Gears



MILITARY MOULDING CASE & CONTAINER

- Chinese Military Standard: GJB-150
- US Military Standard: MIL-STD-810G



Logistic Gears





Logistic Gears





Logistic Gears





Logistic Gears





Logistic Gears





Logistic Gears



Construction of the Barrier



All surrounding protection of the Military Base



Logistic Gears



China Xinxing Military Barrier Explosion Test (Air to Ground Missile AR-2) Max. withstand: 600KG TNT



Special Vehicles







Special Vehicles



Dimension	1340*790*1130mm (Approx.)
G.W	385kg
Adaptability	All terrain (Grass, Sand, Snow, Gravel, Marsh)
Steering Diameter	≤1500mm
Climbing Ability	35-40°C
Water Shooting Range	50-65m (horizontally); 15-30m (vertically)
Moving Speed	0-1.8m/s (6.48km/h)
Motors	Electric Motor 2000(W) x 2
Battery Pack	48V Li-ion Battery (Rechargeable)
Working Duration	Endurance time: 16h, continuous working time: 4h
Remote control	Range 0.5m-1.1km
Protection	IP67/IP68



Special Vehicles



Drive mode	4x4 (4x2 is optional)
Chassis brand	Benz/Sinotruk (optional)
Barrier	Size of each mesh: Diameter at 12mm
	Unfolded size: 9350mm (L) x 3110mm (W)
	Unfolding time: 90 seconds
Anti riot protection	Driver's cab and rear window are protected by metal net Rear display screen protected by easily-replaceable PC plate
Lifting illumination and camera	Lifting height 1.8m, vision @ 360°






Special Vehicles





Special Vehicles





Special Vehicles



Road block separated
from the chassis.
Independent
Max. width: 28m



Special Vehicles



DongFeng, the best military off-road vehicle made in China, originated from 1970s.

DongFeng is strategic partner with China Xinxing for the military off-road vehicle.



DongFeng Warrior 4x4 Off-road Vehicle (3rd Generation)



Special Vehicles



General Specification

Cab number	4-10 persons
Drive Mode	4x4
Loading mass	1500kg
Traction mass	2000g
Total length	4750mm
Total width	2220mm
Total height	2500mm
Wheelbase	3300mm
Max. speed	105km/h
Fuel type	Diesel
Endurance	≥600km



Special Vehicles



General Specification

Cab number	6
Drive Mode	4x4
Loading mass	1200kgs
Traction mass	2000kgs
Total length	5600mm
Total width	2400mm
Total height	2500mm
Wheelbase	3300mm
Max. speed	120km/h
Fuel type	Diesel
Endurance	≥600km



Special Vehicles



Armored Vehicles Design








Special Vehicles



Engine power	213KW
Reservoir capacity	10000L
Number of water cannons	2 Main water cannon
Maximum range	65 meters
Water gun angle adjustment	Left arm:-135° ~+10°
	Right weapon: -10° ~+135°
Body spray function	Spray air-water mixture
Automatic fire suppression system	Standard
Foam deposit	100L
Dye tank	100L
gas reservoir	100L
Acoustic and optical systems	standard
Hydraulic push rod	Positive standard



Medical Emergency





Medical Emergency





Medical Emergency



Emergency Tourniquet





Medical Emergency



Emergency Tourniquet



Medical Emergency



We can match the medicines according to your requests.





Completed Solutions



We can not only provide the finished products, but also help you to establish the localization capabilities!



Completed Solutions

Military
Logistics

Medical
Products

Police
Gears

Special
Vehicles

Outdoor
Equipment



Capability

Production
Devices

Material Supply



Completed Solutions



A large, white, square frame with a thick border, positioned on the right side of the slide. The text 'THANK YOU' is centered within this frame.

THANK YOU

